Specification FE-G50-KA12

Item:
Quantity:
Project:

INDUCTION COOKTOPS

FE-G50-KA12

Models

FE-G50-KA12 Single hobs, Manual Control

FEATURES

German IGBT Stainless Steel framed hobs Overheat system protection Five commercial high-flow fans 90% effciency rating Rubber feet to prevent slipping

MANUAL CONTROL MODELS

5000W, 220-240V/50Hz Power control, from level 1 to level 10 Timer control, from 1-24 hours

DESCRIPTION

These high-efficiency, heavy-duty, commercial induction cooktops are designed for use in commercial kitchens. They provide sensitive control for fast, high temperature cooking.

The induction cooktops come complete with The case is made from 201 power cords. stainless steel with a grade-A ceramic top. The ceramic top is easily cleaned with a mild cleaner.

The induction range is equipped with a variety of safety features including:

Over-heat protection Small-article detection Pan auto-detection function Empty-pan shut-off

IMPORTANT

This appliance is intended for use with inducitonready cookware.

All units requires a minimum clearance of four 4"(101.6mm) between all sides of the housing and any surface or obstacle.

Avoid ambient temperatures exceeding 50°C/122°F.

WARRANTY:

All models shown come with standard warranty against defects in materials and

AGENCY LISTING


CB CE This device complies with CB,CB Standards.

Food Equipment (NZ) Ltd


1066 Hinemoa St PO Box 10067 Rotorua, New Zealand

www.foodequipment.co.nz |Phone:(07) 3488430

Model FE-G50-KA12



Front View



Model	Volts	Watts	Plug	Amp
FE-G50-KA12	240V	5000	1	23A

530mm		400mm				
	530mm					

Top View

Plug Configurations						
Model	Electrical Characteristics	Plug				
FE-G50-KA12	240V/50Hz 5000W	1				